

HRC60-2B-BALL NOSE

Product Images



HRC60-2B

CARBIDE END MILL FOR GENERAL APPLICATIONS




Summary

- **Type:** 2-Flute (2B) Ball Nose design for precise **3D profiling and contouring**.

- **Hardness:** Specifically engineered for machining steel and mold steel
- **Coating:** High-performance **AlCrN Coating** for superior heat and wear resistance in hard materials.
- **Helix Angle: 35° Helix Angle** providing stable cutting performance and excellent surface finish.

Content



Order Number	Specification	D	L1	D1
HRC60-2B-01002	R0.5*D4*50L*2F	1	2	4
HRC60-2B-01503	R0.75*D4*50L*2F	1.5	3	4
HRC60-2B-02004	R1*D4*50L*2F	2	4	4
HRC60-2B-02505	R1.25*D4*50L*4F	2.5	5	4
HRC60-2B-33006	R1.5*D3*50L*2F	3	6	3
HRC60-2B-03006	R1.5*D4*50L*2F	3	6	4
HRC60-2B-03507	R1.75*D4*50L*2F	3.5	7	4
HRC60-2B-04008	R2*D4*50L*2F	4	8	4
HRC60-2B-55010	R2.5*D5*50L*2F	5	10	5
HRC60-2B-05010	R2.5*D6*50L*2F	5	10	6
HRC60-2B-06012	R3*D6*50L*2F	6	12	6
HRC60-2B-08016	R4*D8*60L*2F	8	16	8
HRC60-2B-10020	R5*D10*75L*2F	10	20	10
HRC60-2B-12024	R6*D12*75L*2F	12	24	12
HRC60-2B-14028	R7*D14*100L*2F	14	28	14

HRC60-2B-16032	R8*D16*100L*2F	16	32	16
HRC60-2B-18036	R9*D18*100L*2F	18	36	18
HRC60-2B-20040	R10*D20*100L*2F	20	40	20
HRC60-2BH-33006	R1.5*D3*75L*2F	3	6	3
HRC60-2BH-33006A	R1.5*D3*100L*2F	3	6	3
HRC60-2BH-04008	R2*D4*75L*2F	4	8	4
HRC60-2BH-04008A	R2*D4*100L*2F	4	8	4
HRC60-2BH-55010	R2.5*D5*75L*2F	5	10	5
HRC60-2BH-06012	R3*D6*75L*2F	6	12	6
HRC60-2BH-55010A	R2.5*D5*100L*2F	5	10	5
HRC60-2BH-06012A	R3*D6*100L*2F	6	12	6
HRC60-2BH-06012B	R3*D6*150L*2F	6	12	6
HRC60-2BH-08016	R4*D8*75L*2F	8	16	8
HRC60-2BH-08016A	R4*D8*100L*2F	8	16	8
HRC60-2BH-08016B	R4*D8*150L*2F	8	16	8
HRC60-2BH-10020	R5*D10*100L*2F	10	20	10
HRC60-2BH-10020A	R5*D10*150L*2F	10	20	10
HRC60-2BH-12024	R6*D12*100L*2F	12	24	12
HRC60-2BH-12024A	R6*D12*150L*2F	12	24	12
HRC60-2BH-14028	R7*D14*150L*2F	14	28	14
HRC60-2BH-16032	R8*D16*150L*2F	16	32	16
HRC60-2BH-18036	R9*D18*150L*2F	18	36	18
HRC60-2BH-20040	R10*D20*150L*2F	20	40	20
HRC60-2BH-08016C	R4*D8*200L*2F	8	16	8
HRC60-2BH-10020B	R5*D10*200L*2F	10	20	10
HRC60-2BH-12024B	R6*D12*200L*2F	12	24	12
HRC60-2BH-16032A	R8*D16*200L*2F	16	32	16

HRC60-2BH-20040A	R10*D20*200L*2F	20	40	20
------------------	-----------------	----	----	----