

HRC65-4SN

Product Images



HRC65-4SN

CARBIDE LONG NECK END MILLS



Summary

- **Elite Deep Reach:** Specifically engineered with a **Long Neck** design for ultra-precise **Deep-Pocket and Narrow-Slot** milling where standard length tools fail.
- **Premium TIAISIN Coating:** Advanced TiAlSiN coating provides exceptional red-hardness and wear resistance, maintaining edge integrity in demanding CNC operations.
- **4-Flute High Stability:** 4-flute design offers superior tool rigidity and delivers a high-quality surface finish, ideal for fine finishing in deep cavities.
- **Interference-Free:** The reduced neck diameter ensures smooth side milling without tool interference or collision in complex 3D profiles.

Content



Order Number	Specification	D	L2
HRC65-4SN-01006	D1*6L*D4*50L*4F	1	6
HRC65-4SN-01008	D1*8L*D4*50L*4F	1	8
HRC65-4SN-01010	D1*10L*D4*50L*4F	1	10
HRC65-4SN-01012	D1*12L*D4*50L*4F	1	12
HRC65-4SN-01015	D1*15L*D4*50L*4F	1	15
HRC65-4SN-01020	D1*20L*D4*50L*4F	1	20
HRC65-4SN-01506	D1.5*6L*D4*50L*4F	1.5	6
HRC65-4SN-01508	D1.5*8L*D4*50L*4F	1.5	8
HRC65-4SN-01510	D1.5*10L*D4*50L*4F	1.5	10
HRC65-4SN-01512	D1.5*12L*D4*50L*4F	1.5	12
HRC65-4SN-01515	D1.5*15L*D4*50L*4F	1.5	15
HRC65-4SN-01520	D1.5*20L*D4*50L*4F	1.5	20
HRC65-4SN-02008	D2*8L*D4*50L*4F	2	8
HRC65-4SN-02010	D2*10L*D4*50L*4F	2	10
HRC65-4SN-02012	D2*12L*D4*50L*4F	2	12
HRC65-4SN-02015	D2*15L*D4*50L*4F	2	15
HRC65-4SN-02020	D2*20L*D4*50L*4F	2	20
HRC65-4SN-02510	D2.5*10L*D4*50L*4F	2.5	10

HRC65-4SN-02512	D2.5*12L*D4*50L*4F	2.5	12
HRC65-4SN-02515	D2.5*15L*D4*50L*4F	2.5	15
HRC65-4SN-02520	D2.5*20L*D4*50L*4F	2.5	20
HRC65-4SN-03012	D3*12L*D4*50L*4F	3	12
HRC65-4SN-03015	D3*15L*D4*50L*4F	3	15
HRC65-4SN-03020	D3*20L*D4*50L*4F	3	20