

KNA750-4SS

Product Images



KNA750-4SS


CARBIDE END MILL FOR HIGH EFFICIENCY



Summary

- **Superior Rigidity: Short Flute Design** significantly reduces tool deflection and chatter, providing higher precision in high-speed side milling.
- **Advanced Coating: AlCrN Coating** offers extreme thermal stability and wear resistance, extending tool life in abrasive materials.
- **Design: 45° High Helix Angle** facilitates smooth, low-noise cutting and excellent surface finish.

Content



Order Number	Specification	D	L1
KNA750-4SS-01001	D1*1H*D4*50L*4F	1	1
KNA750-4SS-01002	D1*2H*D4*50L*4F	1	2
KNA750-4SS-01502	D1.5*2H*D4*50L*4F	1.5	2
KNA750-4SS-01503	D1.5*3H*D4*50L*4F	1.5	3
KNA750-4SS-02002	D2*2H*D4*50L*4F	2	2
KNA750-4SS-02003	D2*3H*D4*50L*4F	2	3
KNA750-4SS-02004	D2*4H*D4*50L*4F	2	4
KNA750-4SS-02503	D2.5*3H*D4*50L*4F	2.5	3
KNA750-4SS-02504	D2.5*4H*D4*50L*4F	2.5	4
KNA750-4SS-02505	D2.5*5H*D4*50L*4F	2.5	5
KNA750-4SS-03003	D3*3H*D4*50L*4F	3	3
KNA750-4SS-03004	D3*4H*D4*50L*4F	3	4
KNA750-4SS-03006	D3*6H*D4*50L*4F	3	6
KNA750-4SS-04004	D4*4H*D4*50L*4F	4	4
KNA750-4SS-04006	D4*6H*D4*50L*4F	4	6
KNA750-4SS-04008	D4*8H*D4*50L*4F	4	8

KNA750-4SS-06006	D6*6H*D6*50L*4F	6	6
KNA750-4SS-06008	D6*8H*D6*50L*4F	6	8
KNA750-4SS-06010	D6*10H*D6*50L*4F	6	10
KNA750-4SS-06012	D6*12H*D6*50L*4F	6	12
KNA750-4SS-08008	D8*8H*D8*60L*4F	8	8
KNA750-4SS-08010	D8*10H*D8*60L*4F	8	10
KNA750-4SS-08012	D8*12H*D8*60L*4F	8	12
KNA750-4SS-08015	D8*15H*D8*60L*4F	8	15
KNA750-4SS-10010	D10*10H*D10*60L*4F	10	10
KNA750-4SS-10012	D10*12H*D10*60L*4F	10	12
KNA750-4SS-10015	D10*15H*D10*60L*4F	10	15
KNA750-4SS-10018	D10*18H*D10*60L*4F	10	18
KNA750-4SS-10020	D10*20H*D10*60L*4F	10	20
KNA750-4SS-12012	D12*12H*D12*60L*4F	12	12
KNA750-4SS-12015	D12*15H*D12*60L*4F	12	15
KNA750-4SS-12018	D12*18H*D12*60L*4F	12	18
KNA750-4SS-12020	D12*20H*D12*60L*4F	12	20
KNA750-4SS-12024	D12*24H*D12*60L*4F	12	24
KNA750-4SS-16020	D16*20H*D16*60L*4F	16	20