

MIR-Boring Cutter

Product Images




MIR
BORING CUTTER



Summary

- **Internal Threading Expert:** Specifically engineered for ultra-fine **Internal Thread Cutting** in small diameters, starting from a minimum hole size of **3.0mm**.
- **Versatile Thread Angles:** Available in both **60° (Metric/UN)** and **55° (Whitworth)** profiles to meet diverse global industrial threading standards.
- **Stable Geometry:** Optimized tool structure to minimize vibration and deflection during the high-precision threading cycle, ensuring smooth thread surfaces.
- **Workpiece Compatibility:** Highly effective for Carbon Steel, Alloy Steel, Stainless Steel, and Cast Iron with high-speed performance.
- **Massive Spec Selection:** Full range of processing diameters (D3 to D8) with various effective lengths (L1) to suit specific precision machining requirements.

Content



Order Number	Specification
MIR-03005515	MIR 3A5
MIR-03006010	MIR 3A6
MIR-33006010	MIR 3A6
MIR-03006015	MIR 3A
MIR-04005515	MIR 4A
MIR-04006015	MIR 4A
MIR-04006022	MIR 4A
MIR-05005515	MIR 5A
MIR-05005522	MIR 5A
MIR-05006015	MIR 5A
MIR-05006022	MIR 5A
MIR-06005515	MIR 6A
MIR-06005522	MIR 6A
MIR-06006015	MIR 6A
MIR-06006022	MIR 6A
MIR-06006030	MIR 6A

MIR-07006025	MIR 7A
MIR-08005522	MIR 8A
MIR-08006030	MIR 8A