


SA210-2B-BALL NOSE

Product Images



SA210-2B

CARBIDE HIGH EFFICIENCY ALUMINUM END MILL



Summary

- **Coating:** Premium **TAC Coating** (Colorful) provides ultra-low friction and prevents chip welding.
- **Helix Angle:** **35° Helix Angle** ensures stable cutting and effective chip evacuation in soft metals.
- **Workpiece:** Ideal for **Aluminum Alloy, Copper, and non-ferrous metals** (Workpiece category N).
- **Precision:** Wide range of precision sizes available from R0.5 to R10.0.
- **Advantage:** Delivers a superior surface finish and high-efficiency material removal without buildup.

Content



??? Order Number	?? Specification	?? D	
SA210-2B-01002	R0.5*D4*50L*2F	1	
SA210-2B-01503	R0.75*D4*50L*2F	1.5	
SA210-2B-02004	R1*D4*50L*2F	2	
SA210-2B-02505	R1.25*D4*50L*4F	2.5	
SA210-2B-33006	R1.5*D3*50L*2F	3	
SA210-2B-03006	R1.5*D4*50L*2F	3	
SA210-2B-03507	R1.75*D4*50L*2F	3.5	
SA210-2B-04008	R2*D4*50L*2F	4	
SA210-2B-55010	R2.5*D5*50L*2F	5	
SA210-2B-05010	R2.5*D6*50L*2F	5	
SA210-2B-06012	R3*D6*50L*2F	6	
SA210-2B-08016	R4*D8*60L*2F	8	
SA210-2B-10020	R5*D10*75L*2F	10	
SA210-2B-12024	R6*D12*75L*2F	12	

SA210-2B-14028	R7*D14*100L*2F	14	
SA210-2B-16032	R8*D16*100L*2F	16	
SA210-2B-18036	R9*D18*100L*2F	18	
SA210-2B-20040	R10*D20*100L*2F	20	
SA210-2BH-01002	R0.5*D4*75L*2F	1	
SA210-2BH-02004	R1*D4*75L*2F	2	
SA210-2BH-04008	R2*D4*75L*2F	4	
SA210-2BH-06012	R3*D6*75L*2F	6	
SA210-2BH-08016	R4*D8*75L*2F	8	
SA210-2BH-10020	R5*D10*100L*2F	10	
SA210-2BH-12024	R6*D12*100L*2F	12	
SA210-2BH-14028	R7*D14*150L*2F	14	
SA210-2BH-16032	R8*D16*150L*2F	16	
SA210-2BH-18036	R9*D18*150L*2F	18	
SA210-2BH-20040	R10*D20*150L*2F	20	