

# SD-2C-steel

## Product Images



**SD-2C**


CARBIDE SPOT DRILL



## Summary

- **Hole Positioning Expert:** Specifically designed for high-precision **Hole Spotting and Centering** to prevent drill walk and ensure dimensional accuracy.
- **Versatile Angles:** Available in **60°, 90°, and 120°** options to perfectly match the point angles of subsequent twist drills.
- **Multi-Functional:** Can be used for both initial spotting and simultaneous edge chamfering, improving production efficiency.
- **Workpiece Compatibility:** Optimized for Alloy Steel, Carbon Steel, and Cast Iron with diameters ranging from D1 to D20.

## Content



| Steel Order Number | Specification       | D   |  |
|--------------------|---------------------|-----|--|
| SD-2C-01090        | D1*A90*D4*50L*2F    | 1   |  |
| SD-2C-01590        | D1.5*A90*D4*50L*2F  | 1.5 |  |
| SD-2C-02090        | D2*A90*D4*50L*2F    | 2   |  |
| SD-2C-03090        | D3*A90*D4*50L*2F    | 3   |  |
| SD-2C-04060        | D4*A60*D4*50L*2F    | 4   |  |
| SD-2C-04090        | D4*A90*D4*50L*2F    | 4   |  |
| SD-2C-04120        | D4*A120*D4*50L*2F   | 4   |  |
| SD-2C-06060        | D6*A60*D6*50L*2F    | 6   |  |
| SD-2C-06090        | D6*A90*D6*50L*2F    | 6   |  |
| SD-2C-06120        | D6*A120*D6*50L*2F   | 6   |  |
| SD-2C-08060        | D8*A60*D8*60L*2F    | 8   |  |
| SD-2C-08090        | D8*A90*D8*60L*2F    | 8   |  |
| SD-2C-08120        | D8*A120*D8*60L*2F   | 8   |  |
| SD-2C-10090        | D10*A90*D10*75L*2F  | 10  |  |
| SD-2C-12090        | D12*A90*D12*75L*2F  | 12  |  |
| SD-2C-14090        | D14*A90*D14*100L*2F | 14  |  |
| SD-2C-16090        | D16*A90*D16*100L*2F | 16  |  |

|             |                     |    |  |
|-------------|---------------------|----|--|
| SD-2C-18090 | D18*A90*D18*100L*2F | 18 |  |
| SD-2C-20090 | D20*A90*D20*100L*2F | 20 |  |