

TNMG-MF

Product Images



MF

—— Chip-breaker ——

Summary

ZANHO TNMG1604-MF is a professional **triangular negative turning insert** specifically engineered for **Medium Machining**. Featuring the specialized **MF chipbreaker**, it delivers stable

chip evacuation and high edge strength, ensuring reliable performance in both steel and stainless steel semi-finishing applications.

Content

Key Performance & Features

- **MF Chipbreaker:** Optimized for medium machining, providing exceptional chip control and reducing cutting forces during semi-finishing stages.
- **High Surface Finish:** Features a precision-ground cutting edge that delivers superior surface integrity and dimensional consistency on workpieces.
- **Stable Geometry:** The TNMG negative triangular design provides high edge stability and 6 efficient cutting edges for maximum cost-effectiveness.
- **Material Versatility:** Highly effective for turning **Steel (P)** and **Stainless Steel (M)** with extended tool life and minimal vibration.

Technical Specifications

Model	Radius (re)	Feed (fn)	Cut Depth (ap)
TNMG160408-MF	0.8 mm	0.12 - 0.35	1.0 - 3.5 mm
TNMG160412-MF	1.2 mm	0.15 - 0.35	1.5 - 3.5 mm

Need Help Selecting the Right Grade?

Our sales team can recommend the optimal grade based on your workpiece material and machining conditions.

Need Help Selecting the Right Grade?

Our sales team can recommend the optimal grade based on your workpiece material and machining conditions.

[? Back](#)

Thank you for your response. ?

Company Name(required)

Email(required)

website

Email

•

Submit