

WNMG-MS

Product Images



MS

—— Chip-breaker ——

Summary

ZANHO WNMG0804-MS series is a robust **80° trigon negative turning insert** specifically designed for **Medium Machining**. Featuring the specialized **MS chipbreaker**, it delivers

exceptional chip control and stable cutting performance across a wide range of cutting depths, making it ideal for high-efficiency turning of steel and alloy components.

Content

Key Performance & Features

- **Medium Machining Excellence:** Optimized for semi-roughing to medium machining operations, providing a perfect balance between chip breaking and edge durability.
- **MS Chipbreaker:** Engineered for stable chip evacuation at medium feed rates, effectively reducing cutting resistance and ensuring a smooth surface finish.
- **Trigon Stability:** The WNMG negative design utilizes 6 robust cutting edges, maximizing cost-efficiency while ensuring superior strength during continuous or slightly interrupted cuts.
- **Strong Cutting Edge:** Precision-ground edges enhance tool life and machining reliability, ideal for maintaining consistent quality in long-running turning tasks.

Technical Specifications

Model	Radius (re)	Feed (fn)	Cut Depth (ap)
WNMG080404-MS	0.4 mm	0.2 - 0.6	2.0 - 5.0 mm
WNMG080408-MS	0.8 mm	0.2 - 0.6	2.0 - 5.0 mm
WNMG080412-MS	1.2 mm	0.2 - 0.6	2.0 - 5.0 mm

Need Help Selecting the Right Grade?

Our sales team can recommend the optimal grade based on your workpiece material and machining conditions.

[? Back](#)

Thank you for your response. ?

????(required)

??(required)

??

??

Submit