

CTA-3C

ZANHO Cutting Tools



CTA-3C

CARBIDE CHAMFER DRILL



Feature

- **Aluminum Finishing Expert:** Specifically engineered for ultra-smooth **Chamfering and Deburring** in aluminum and non-ferrous metals, ensuring a burr-free, high-gloss edge.
- **Sharp & Clean Cutting: Uncoated (Bright)** polished flutes provide the sharpest possible edge, effectively preventing chip welding and heat buildup.
- **Versatile Angles:** Available in **60°, 90°, and 120°** point angles to suit your specific CNC edge-finishing or V-groove requirements.
- **Mirror-Like Results:** Optimized for high-speed machining where surface integrity and visual appeal are critical.
- **Material Compatibility:** Highly suitable for **Aluminum, Copper, and Plastics** (Workpiece category N) across D4 to D20 diameters.

Descriptions



Aluminum Order Number	Specification	D	
CTA-3C-04060	D4*A60*D4*50L*3F	4	
CTA-3C-04090	D4*A90*D4*50L*3F	4	
CTA-3C-04120	D4*A120*D4*50L*3F	4	
CTA-3C-05090	D5*A90*D5*50L*3F	5	
CTA-3C-06060	D6*A60*D6*50L*3F	6	
CTA-3C-06090	D6*A90*D6*50L*3F	6	
CTA-3C-06120	D6*A120*D6*50L*3F	6	
CTA-3C-08060	D8*A60*D8*60L*3F	8	
CTA-3C-08090	D8*A90*D8*60L*3F	8	
CTA-3C-08120	D8*A120*D8*60L*3F	8	
CTA-3C-10060	D10*A60*D10*60L*3F	10	
CTA-3C-10090	D10*A90*D10*60L*3F	10	
CTA-3C-10120	D10*A120*D10*60L*3F	10	
CTA-3C-12060	D12*A60*D12*60L*3F	12	
CTA-3C-12090	D12*A90*D12*60L*3F	12	
CTA-3C-12120	D12*A120*D12*60L*3F	12	

CTA-3C-14090	D14*A90*D14*100L*3F	14	
CTA-3C-16090	D16*A90*D16*100L*3F	16	
CTA-3C-18090	D18*A90*D18*100L*3F	18	
CTA-3C-20090	D20*A90*D20*100L*3F	20	