

HRC55-2S-SQUARE

ZANHO Cutting Tools



HRC55- 2S

CARBIDE END MILL FOR GENERAL APPLICATIONS



Feature

- **Type:** 2-Flute (2S) Square End Mill for efficient slotting and profiling.

- **Material:** High-quality **Tungsten Steel** (Carbide) for durability.
- **Coating:** Advanced **AlTiN Coating** for excellent heat and wear resistance.
- **Helix Angle:** **35° Helix** ensuring stable cutting and smooth chip removal.
- **Workpiece:** Ideal for Carbon Steel, Alloy Steel, and Stainless Steel (**Up to 55 HRC**).
- **Feature:** Precision-ground edges for long tool life and high-quality surface finish.

Descriptions



Steel. Order Number	Specification	D	L
HRC55-2S-01003	D1*D4*50L*2F	1	3
HRC55-2S-01505	D1.5*D4*50L*2F	1.5	5
HRC55-2S-02006	D2*D4*50L*2F	2	6
HRC55-2S-02507	D2.5*D4*50L*2F	2.5	7
HRC55-2S-33008	D3*D3*50L*2F	3	8
HRC55-2S-03008	D3*D4*50L*2F	3	8
HRC55-2S-03508	D3.5*D4*50L*2F	3.5	8
HRC55-2S-04010	D4*D4*50L*2F	4	10
HRC55-2S-55013	D5*D5*50L*2F	5	13
HRC55-2S-05013	D5*D6*50L*2F	5	13
HRC55-2S-06015	D6*D6*50L*2F	6	15
HRC55-2S-08020	D8*D8*60L*2F	8	20
HRC55-2S-10025	D10*D10*75L*2F	10	25
HRC55-2S-12030	D12*D12*75L*2F	12	30
HRC55-2S-14045	D14*D14*100L*2F	14	45
HRC55-2S-16045	D16*D16*100L*2F	16	45
HRC55-2S-18045	D18*D18*100L*2F	18	45
HRC55-2S-20045	D20*D20*100L*2F	20	45

HRC55-2SH-33012	D3*D3*75L*2F	3	1
HRC55-2SH-03012	D3*D3*100L*2F	3	1
HRC55-2SH-04016	D4*D4*75L*2F	4	1
HRC55-2SH-04020	D4*D4*100L*2F	4	2
HRC55-2SH-55020	D5*D5*75L*2F	5	2
HRC55-2SH-06024	D6*D6*75L*2F	6	2
HRC55-2SH-55025	D5*D5*100L*2F	5	2
HRC55-2SH-06030	D6*D6*100L*2F	6	3
HRC55-2SH-06040	D6*D6*150L*2F	6	4
HRC55-2SH-08025	D8*D8*75L*2F	8	2
HRC55-2SH-08035	D8*D8*100L*2F	8	3
HRC55-2SH-08045	D8*D8*150L*2F	8	4
HRC55-2SH-10040	D10*D10*100L*2F	10	4
HRC55-2SH-10055	D10*D10*150L*2F	10	5
HRC55-2SH-12045	D12*D12*100L*2F	12	4
HRC55-2SH-12055	D12*D12*150L*2F	12	5
HRC55-2SH-14070	D14*D14*150L*2F	14	7
HRC55-2SH-16075	D16*D16*150L*2F	16	7
HRC55-2SH-18075	D18*D18*150L*2F	18	7
HRC55-2SH-20075	D20*D20*150L*2F	20	7