

HRC60-4SN

ZANHO Cutting Tools



HRC60-4SN

CARBIDE LONG NECK END MILLS



Feature

- **Deep Reach Specialist:** Engineered with a **Long Neck** design specifically for stable **Deep-Pocket and Narrow-Slot** milling where standard length tools cannot perform.
- **4-Flute High Stability:** 4-flute design provides superior tool rigidity and better surface finish compared to 2-flute options, ideal for fine finishing in deep cavities.
- **Premium TIAISIN Coating:** Advanced TiSiN coating provides exceptional heat resistance and tool life for maintaining edge integrity in steel machining.
- **Optimized Clearance:** The reduced neck diameter ensures smooth machining without tool interference or collision during deep-profile work.
- **Extensive Specs:** Available in diameters D1 to D3 with diverse effective neck lengths (L2 up to 25mm) for specialized CNC tasks.

Descriptions



Order Number	Specification	D	L2
HRC60-4SN-01006	D1*6L*D4*50L*4F	1	6
HRC60-4SN-01008	D1*8L*D4*50L*4F	1	8
HRC60-4SN-01010	D1*10L*D4*50L*4F	1	10
HRC60-4SN-01012	D1*12L*D4*50L*4F	1	12
HRC60-4SN-01015	D1*15L*D4*50L*4F	1	15
HRC60-4SN-01020	D1*20L*D4*50L*4F	1	20
HRC60-4SN-01506	D1.5*6L*D4*50L*4F	1.5	6
HRC60-4SN-01508	D1.5*8L*D4*50L*4F	1.5	8
HRC60-4SN-01510	D1.5*10L*D4*50L*4F	1.5	10
HRC60-4SN-01512	D1.5*12L*D4*50L*4F	1.5	12
HRC60-4SN-01515	D1.5*15L*D4*50L*4F	1.5	15
HRC60-4SN-01520	D1.5*20L*D4*50L*4F	1.5	20
HRC60-4SN-02008	D2*8L*D4*50L*4F	2	8
HRC60-4SN-02010	D2*10L*D4*50L*4F	2	10
HRC60-4SN-02012	D2*12L*D4*50L*4F	2	12
HRC60-4SN-02015	D2*15L*D4*50L*4F	2	15

HRC60-4SN-02020	D2*20L*D4*50L*4F	2	20
HRC60-4SN-02025	D2*25L*D4*50L*4F	2	25
HRC60-4SN-02510	D2.5*10L*D4*50L*4F	2.5	10
HRC60-4SN-02512	D2.5*12L*D4*50L*4F	2.5	12
HRC60-4SN-02515	D2.5*15L*D4*50L*4F	2.5	15
HRC60-4SN-02520	D2.5*20L*D4*50L*4F	2.5	20
HRC60-4SN-02525	D2.5*25L*D4*50L*4F	2.5	25
HRC60-4SN-03012	D3*12L*D4*50L*4F	3	12
HRC60-4SN-03015	D3*15L*D4*50L*4F	3	15
HRC60-4SN-03020	D3*20L*D4*50L*4F	3	20
HRC60-4SN-03025	D3*25L*D4*50L*4F	3	25