

HRC60M-2BN

ZANHO Cutting Tools



HRC60M-2BN


CARBIDE MICRO END MILLS



Feature

- **Deep Reach Specialist:** Engineered with a **Long Neck** design specifically for ultra-precise **Deep-Pocket 3D Profiling** where standard micro tools cannot reach.
- **Interference-Free:** The reduced neck diameter allows for deep-groove and narrow-cavity machining without tool interference or collision.
- **Premium TIAISIN Coating:** Advanced TiAlSiN coating provides exceptional heat resistance and tool life on delicate micro cutting edges.
- **Optimized Stability: 30° Helix Angle** balances cutting forces and rigidity, minimizing deflection in long-neck micro-milling operations.

Descriptions



Order Number	Specification	D	L2
HRC60M-2BN-00201	R0.1*1H*D4*50L*2F	0.2	1
HRC60M-2BN-00202	R0.1*2H*D4*50L*2F	0.2	2
HRC60M-2BN-00301	R0.15*1H*D4*50L*2F	0.3	1
HRC60M-2BN-00302	R0.15*2H*D4*50L*2F	0.3	2
HRC60M-2BN-00303	R0.15*3H*D4*50L*2F	0.3	3
HRC60M-2BN-00304	R0.15*4H*D4*50L*2F	0.3	4
HRC60M-2BN-00402	R0.2*2H*D4*50L*2F	0.4	2
HRC60M-2BN-00403	R0.2*3H*D4*50L*2F	0.4	3
HRC60M-2BN-00404	R0.2*4H*D4*50L*2F	0.4	4
HRC60M-2BN-00405	R0.2*5H*D4*50L*2F	0.4	5
HRC60M-2BN-00406	R0.2*6H*D4*50L*2F	0.4	6
HRC60M-2BN-00502	R0.25*2H*D4*50L*2F	0.5	2
HRC60M-2BN-00503	R0.25*3H*D4*50L*2F	0.5	3
HRC60M-2BN-00504	R0.25*4H*D4*50L*2F	0.5	4
HRC60M-2BN-00506	R0.25*6H*D4*50L*2F	0.5	6
HRC60M-2BN-00508	R0.25*8H*D4*50L*2F	0.5	8
HRC60M-2BN-00510	R0.25*10H*D4*50L*2F	0.5	10

HRC60M-2BN-00602	R0.3*2H*D4*50L*2F	0.6	2
HRC60M-2BN-00603	R0.3*3H*D4*50L*2F	0.6	3
HRC60M-2BN-00604	R0.3*4H*D4*50L*2F	0.6	4
HRC60M-2BN-00606	R0.3*6H*D4*50L*2F	0.6	6
HRC60M-2BN-00608	R0.3*8H*D4*50L*2F	0.6	8
HRC60M-2BN-00610	R0.3*10H*D4*50L*2F	0.6	10
HRC60M-2BN-00703	R0.35*3H*D4*50L*2F	0.7	3
HRC60M-2BN-00704	R0.35*4H*D4*50L*2F	0.7	4
HRC60M-2BN-00706	R0.35*6H*D4*50L*2F	0.7	6
HRC60M-2BN-00708	R0.35*8H*D4*50L*2F	0.7	8
HRC60M-2BN-00710	R0.35*10H*D4*50L*2F	0.7	10
HRC60M-2BN-00803	R0.4*3H*D4*50L*2F	0.8	3
HRC60M-2BN-00804	R0.4*4H*D4*50L*2F	0.8	4
HRC60M-2BN-00806	R0.4*6H*D4*50L*2F	0.8	6
HRC60M-2BN-00808	R0.4*8H*D4*50L*2F	0.8	8
HRC60M-2BN-00810	R0.4*10H*D4*50L*2F	0.8	10
HRC60M-2BN-00903	R0.45*3H*D4*50L*2F	0.9	3
HRC60M-2BN-00904	R0.45*4H*D4*50L*2F	0.9	4
HRC60M-2BN-00906	R0.45*6H*D4*50L*2F	0.9	6
HRC60M-2BN-00908	R0.45*8H*D4*50L*2F	0.9	8
HRC60M-2BN-00910	R0.45*10H*D4*50L*2F	0.9	10