

HRC60M-2SN

ZANHO Cutting Tools



HRC60M-2SN

CARBIDE MICRO END MILLS



Feature

- **Deep Reach Specialist:** Engineered with a **Long Neck** design specifically for high-precision **Deep-Pocket and Narrow-Slot** milling where standard tools cannot reach.
- **Enhanced Clearance:** The reduced neck diameter allows for deep side milling and cavity work without tool interference or collision.
- **Premium TIAISIN Coating:** Advanced TiAlSiN coating provides exceptional heat resistance and tool life for maintenance of edge integrity.
- **Optimized Stability: 30° Helix Angle** provides a balanced cutting action, effectively minimizing deflection in long-neck micro-diameter operations.

Descriptions



Order Number	Specification	D	L2	D1	L
HRC60M-2SN-00201	D0.2*1H*D4*50L*2F	0.2	1	4	50
HRC60M-2SN-00202	D0.2*2H*D4*50L*2F	0.2	2	4	50
HRC60M-2SN-00301	D0.3*1H*D4*50L*2F	0.3	1	4	50
HRC60M-2SN-00302	D0.3*2H*D4*50L*2F	0.3	2	4	50
HRC60M-2SN-00303	D0.3*3H*D4*50L*2F	0.3	3	4	50
HRC60M-2SN-00304	D0.3*4H*D4*50L*2F	0.3	4	4	50
HRC60M-2SN-00402	D0.4*2H*D4*50L*2F	0.4	2	4	50
HRC60M-2SN-00403	D0.4*3H*D4*50L*2F	0.4	3	4	50
HRC60M-2SN-00404	D0.4*4H*D4*50L*2F	0.4	4	4	50
HRC60M-2SN-00405	D0.4*5H*D4*50L*2F	0.4	5	4	50
HRC60M-2SN-00406	D0.4*6H*D4*50L*2F	0.4	6	4	50
HRC60M-2SN-00502	D0.5*2H*D4*50L*2F	0.5	2	4	50
HRC60M-2SN-00503	D0.5*3H*D4*50L*2F	0.5	3	4	50
HRC60M-2SN-00504	D0.5*4H*D4*50L*2F	0.5	4	4	50
HRC60M-2SN-00506	D0.5*6H*D4*50L*2F	0.5	6	4	50
HRC60M-2SN-00508	D0.5*8H*D4*50L*2F	0.5	8	4	50
HRC60M-2SN-00510	D0.5*10H*D4*50L*2F	0.5	10	4	50

HRC60M-2SN-00602	D0.6*2H*D4*50L*2F	0.6	2	4	50
HRC60M-2SN-00603	D0.6*3H*D4*50L*2F	0.6	3	4	50
HRC60M-2SN-00604	D0.6*4H*D4*50L*2F	0.6	4	4	50
HRC60M-2SN-00606	D0.6*6H*D4*50L*2F	0.6	6	4	50
HRC60M-2SN-00608	D0.6*8H*D4*50L*2F	0.6	8	4	50
HRC60M-2SN-00610	D0.6*10H*D4*50L*2F	0.6	10	4	50
HRC60M-2SN-00703	D0.7*3H*D4*50L*2F	0.7	3	4	50
HRC60M-2SN-00704	D0.7*4H*D4*50L*2F	0.7	4	4	50
HRC60M-2SN-00706	D0.7*6H*D4*50L*2F	0.7	6	4	50
HRC60M-2SN-00708	D0.7*8H*D4*50L*2F	0.7	8	4	50
HRC60M-2SN-00710	D0.7*10H*D4*50L*2F	0.7	10	4	50
HRC60M-2SN-00803	D0.8*3H*D4*50L*2F	0.8	3	4	50
HRC60M-2SN-00804	D0.8*4H*D4*50L*2F	0.8	4	4	50
HRC60M-2SN-00806	D0.8*6H*D4*50L*2F	0.8	6	4	50
HRC60M-2SN-00808	D0.8*8H*D4*50L*2F	0.8	8	4	50
HRC60M-2SN-00810	D0.8*10H*D4*50L*2F	0.8	10	4	50
HRC60M-2SN-00903	D0.9*3H*D4*50L*2F	0.9	3	4	50
HRC60M-2SN-00904	D0.9*4H*D4*50L*2F	0.9	4	4	50
HRC60M-2SN-00906	D0.9*6H*D4*50L*2F	0.9	6	4	50
HRC60M-2SN-00908	D0.9*8H*D4*50L*2F	0.9	8	4	50
HRC60M-2SN-00910	D0.9*10H*D4*50L*2F	0.9	10	4	50