

HRC65-4S-SQUARE

ZANHO Cutting Tools



HRC65-4S


CARBIDE END MILL FOR GENERAL APPLICATIONS



Feature

- **Premium Series:** Specifically engineered for extreme high-hardness materials **up to 65 HRC**.
- **Advanced Coating: Nano Blue Coating** provides industry-leading oxidation resistance and red hardness.
- **Substrate:** Made from ultra-fine micro-grain carbide for maximum tool rigidity and durability.
- **Helix Angle: 35° Helix Angle** optimized for high-speed cutting in hardened mold and tool steels.
- **Workpiece:** Ideal for Hardened Steel, Stainless Steel, and Alloy Steel under extreme

Descriptions



Order Number	Specification	D	L1	
HRC65-4S-01003	D1*D4*50L*4F	1	3	
HRC65-4S-61003	D1*D6*50L*4F	1	3	
HRC65-4S-01505	D1.5*D4*50L*4F	1.5	5	
HRC65-4S-61505	D1.5*D6*50L*4F	1.5	5	
HRC65-4S-02006	D2*D4*50L*4F	2	6	
HRC65-4S-62006	D2*D6*50L*4F	2	6	
HRC65-4S-02507	D2.5*D4*50L*4F	2.5	8	
HRC65-4S-62507	D2.5*D6*50L*4F	2.5	8	
HRC65-4S-33009	D3*D3*50L*4F	3	9	
HRC65-4S-03009	D3*D4*50L*4F	3	9	
HRC65-4S-63009	D3*D6*50L*4F	3	9	
HRC65-4S-03511	D3.5*D4*50L*4F	3.5	11	
HRC65-4S-04012	D4*D4*50L*4F	4	12	
HRC65-4S-64012	D4*D6*50L*4F	4	12	

HRC65-4S-55015	D5*D5*50L*4F	5	13	
HRC65-4S-05015	D5*D6*50L*4F	5	15	
HRC65-4S-06015	D6*D6*50L*4F	6	15	
HRC65-4S-06018	D6*D6*50L*4F	6	18	
HRC65-4S-08020	D8*D8*60L*4F	8	20	
HRC65-4S-08024	D8*D8*60L*4F	8	24	
HRC65-4S-10025	D10*D10*75L*4F	10	25	
HRC65-4S-10030	D10*D10*75L*4F	10	30	
HRC65-4S-12030	D12*D12*75L*4F	12	30	
HRC65-4S-12035	D12*D12*75L*4F	12	35	
HRC65-4S-14045	D14*D14*100L*4F	14	45	
HRC65-4S-16045	D16*D16*100L*4F	16	45	
HRC65-4S-18045	D18*D18*100L*4F	18	45	
HRC65-4S-20045	D20*D20*100L*4F	20	45	
HRC65-4SH-01004	D1*D4*75L*4F	1	4	
HRC65-4SH-01506	D1.5*D4*75L*4F	1.5	6	
HRC65-4SH-02008	D2*D4*75L*4F	2	8	
HRC65-4SH-02510	D2.5*D4*75L*4F	2.5	10	
HRC65-4SH-03012	D3*D4*75L*4F	3	12	
HRC65-4SH-33012	D3*D3*75L*4F	3	12	
HRC65-4SH-03015	D3*D3*100L*4F	3	15	
HRC65-4SH-04016	D4*D4*75L*4F	4	16	
HRC65-4SH-04020	D4*D4*100L*4F	4	20	
HRC65-4SH-05020	D5*D5*75L*4F	5	20	
HRC65-4SH-06024	D6*D6*75L*4F	6	24	
HRC65-4SH-05025	D5*D5*100L*4F	5	25	
HRC65-4SH-06030	D6*D6*100L*4F	6	30	

HRC65-4SH-06040	D6*D6*150L*4F	6	40	
HRC65-4SH-08030	D8*D8*75L*4F	8	30	
HRC65-4SH-08035	D8*D8*100L*4F	8	35	
HRC65-4SH-08045	D8*D8*150L*4F	8	45	
HRC65-4SH-10040	D10*D10*100L*4F	10	40	
HRC65-4SH-10050	D10*D10*100L*4F	10	50	
HRC65-4SH-10055	D10*D10*150L*4F	10	55	
HRC65-4SH-12045	D12*D12*100L*4F	12	45	
HRC65-4SH-12050	D12*D12*100L*4F	12	50	
HRC65-4SH-12055	D12*D12*150L*4F	12	55	
HRC65-4SH-14060	D14*D14*150L*4F	14	60	
HRC65-4SH-16075	D16*D16*150L*4F	16	75	
HRC65-4SH-18075	D18*D18*150L*4F	18	75	
HRC65-4SH-20075	D20*D20*150L*4F	20	75	
HRC65-4SH-06050	D6*D6*200L*4F	6	50	
HRC65-4SH-08070	D8*D8*200L*4F	8	70	
HRC65-4SH-10080	D10*D10*200L*4F	10	80	
HRC65-4SH-12080	D12*D12*200L*4F	12	80	
HRC65-4SH-140100	D14*D14*200L*4F	14	100	
HRC65-4SH-160100	D16*D16*200L*4F	16	100	
HRC65-4SH-180100	D18*D18*200L*4F	18	100	
HRC65-4SH-200100	D20*D20*200L*4F	20	100	