

# CTA-3C

## ZANHO Cutting Tools



# CTA-3C

CARBIDE CHAMFER DRILL



## Feature

- **Aluminum Finishing Expert:** Specifically engineered for ultra-smooth **Chamfering and Deburring** in aluminum and non-ferrous metals, ensuring a burr-free, high-gloss edge.
- **Sharp & Clean Cutting: Uncoated (Bright)** polished flutes provide the sharpest possible edge, effectively preventing chip welding and heat buildup.
- **Versatile Angles:** Available in **60°, 90°, and 120°** point angles to suit your specific CNC edge-finishing or V-groove requirements.
- **Mirror-Like Results:** Optimized for high-speed machining where surface integrity and visual appeal are critical.
- **Material Compatibility:** Highly suitable for **Aluminum, Copper, and Plastics** (Workpiece category N) across D4 to D20 diameters.

## Descriptions



| Aluminum Order Number | Specification       | D  |  |
|-----------------------|---------------------|----|--|
| CTA-3C-04060          | D4*A60*D4*50L*3F    | 4  |  |
| CTA-3C-04090          | D4*A90*D4*50L*3F    | 4  |  |
| CTA-3C-04120          | D4*A120*D4*50L*3F   | 4  |  |
| CTA-3C-05090          | D5*A90*D5*50L*3F    | 5  |  |
| CTA-3C-06060          | D6*A60*D6*50L*3F    | 6  |  |
| CTA-3C-06090          | D6*A90*D6*50L*3F    | 6  |  |
| CTA-3C-06120          | D6*A120*D6*50L*3F   | 6  |  |
| CTA-3C-08060          | D8*A60*D8*60L*3F    | 8  |  |
| CTA-3C-08090          | D8*A90*D8*60L*3F    | 8  |  |
| CTA-3C-08120          | D8*A120*D8*60L*3F   | 8  |  |
| CTA-3C-10060          | D10*A60*D10*60L*3F  | 10 |  |
| CTA-3C-10090          | D10*A90*D10*60L*3F  | 10 |  |
| CTA-3C-10120          | D10*A120*D10*60L*3F | 10 |  |
| CTA-3C-12060          | D12*A60*D12*60L*3F  | 12 |  |
| CTA-3C-12090          | D12*A90*D12*60L*3F  | 12 |  |
| CTA-3C-12120          | D12*A120*D12*60L*3F | 12 |  |

|              |                     |    |  |
|--------------|---------------------|----|--|
| CTA-3C-14090 | D14*A90*D14*100L*3F | 14 |  |
| CTA-3C-16090 | D16*A90*D16*100L*3F | 16 |  |
| CTA-3C-18090 | D18*A90*D18*100L*3F | 18 |  |
| CTA-3C-20090 | D20*A90*D20*100L*3F | 20 |  |