

HRC65-2B-BALL NOSE

ZANHO Cutting Tools



HRC65-2B


CARBIDE END MILL FOR GENERAL APPLICATIONS



Feature

- **Premium Grade:** Engineered for high-precision **3D profiling and contouring** of hardened materials.
- **Hardness Range:** Optimized for machining steel and mold steel **up to 65 HRC**.
- **Advanced Coating: Nano Blue Coating** offers superior red hardness and an extremely low friction coefficient.
- **Helix Angle: 35° Helix Angle** provides optimal balance for stability and smooth chip removal in hard metals.
- **Workpiece Compatibility:** Highly suitable for Carbon Steel, Alloy Steel, Stainless Steel, and Hardened Steel (HRC55-62).

Descriptions



类型
2B

涂层
Nano Blue

35°
螺旋角

<58
HRC

Order Number	Specification	D	L1
HRC65-2B-01002	R0.5*D4*50L*2F	1	2
HRC65-2B-01503	R0.75*D4*50L*2F	1.5	3
HRC65-2B-02004	R1*D4*50L*2F	2	4
HRC65-2B-02505	R1.25*D4*50L*4F	2.5	5
HRC65-2B-33006	R1.5*D3*50L*2F	3	6
HRC65-2B-03006	R1.5*D4*50L*2F	3	6
HRC65-2B-03507	R1.75*D4*50L*2F	3.5	7
HRC65-2B-04008	R2*D4*50L*2F	4	8
HRC65-2B-55010	R2.5*D5*50L*2F	5	10
HRC65-2B-05010	R2.5*D6*50L*2F	5	10
HRC65-2B-06012	R3*D6*50L*2F	6	12
HRC65-2B-08016	R4*D8*60L*2F	8	16
HRC65-2B-10020	R5*D10*75L*2F	10	20

HRC65-2B-12024	R6*D12*75L*2F	12	24
HRC65-2B-14028	R7*D14*100L*2F	14	28
HRC65-2B-16032	R8*D16*100L*2F	16	32
HRC65-2B-18036	R9*D18*100L*2F	18	36
HRC65-2B-20040	R10*D20*100L*2F	20	40
HRC65-2BH-33006	R1.5*D3*75L*2F	3	6
HRC65-2BH-33006A	R1.5*D3*100L*2F	3	6
HRC65-2BH-04008	R2*D4*75L*2F	4	8
HRC65-2BH-04008A	R2*D4*100L*2F	4	8
HRC65-2BH-55010	R2.5*D5*75L*2F	5	10
HRC65-2BH-06012	R3*D6*75L*2F	6	12
HRC65-2BH-55010A	R2.5*D5*100L*2F	5	10
HRC65-2BH-06012A	R3*D6*100L*2F	6	12
HRC65-2BH-06012B	R3*D6*150L*2F	6	12
HRC65-2BH-08016	R4*D8*75L*2F	8	16
HRC65-2BH-08016A	R4*D8*100L*2F	8	16
HRC65-2BH-08016B	R4*D8*150L*2F	8	16
HRC65-2BH-10020	R5*D10*100L*2F	10	20
HRC65-2BH-10020A	R5*D10*150L*2F	10	20
HRC65-2BH-12024	R6*D12*100L*2F	12	24
HRC65-2BH-12024A	R6*D12*150L*2F	12	24
HRC65-2BH-14028	R7*D14*150L*2F	14	28
HRC65-2BH-16032	R8*D16*150L*2F	16	32
HRC65-2BH-18036	R9*D18*150L*2F	18	36
HRC65-2BH-20040	R10*D20*150L*2F	20	40
HRC65-2BH-08016C	R4*D8*200L*2F	8	16
HRC65-2BH-10020B	R5*D10*200L*2F	10	20

HRC65-2BH-12024B	R6*D12*200L*2F	12	24
HRC65-2BH-16032A	R8*D16*200L*2F	16	32
HRC65-2BH-20040A	R10*D20*200L*2F	20	40