Dovetail Cutter-Alu.


ZANHO Cutting Tools



Feature

- **Aluminum Slotting Specialist:** Engineered specifically for ultra-precise **Dovetail Grooving and Undercutting** in aluminum and non-ferrous metals, ensuring clean, burr-free angular profiles.
- **Non-Stick Performance: Uncoated (Bright)** polished surface provides the sharpest edge and lowest friction, preventing material buildup during high-speed machining.
- **Versatile Angles:** Available in standard **60°, 90°, and 120°** angles to perfectly match your guide-way or sliding component design requirements.
- **Workpiece Compatibility:** Optimized for **Aluminum, Copper, and Plastics** (Workpiece category N) across D3 to D16 diameters.

Descriptions



Aluminum Order Number	Specification	D	
DCA-4C-03060	D3*A60*D4*50L*4F	3	6
DCA-4C-03090	D3*A90*D4*50L*4F		9
DCA-4C-03120	D3*A120*D4*50L*4F		12
DCA-4C-04060	D4*A60*D4*50L*4F	4	6
DCA-4C-04090	D4*A90*D4*50L*4F		9
DCA-4C-04120	D4*A120*D4*50L*4F		12
DCA-4C-05090	D5*A90*D6*50L*4F	5	9
DCA-4C-06060	D6*A60*D6*50L*4F	6	6
DCA-4C-06090	D6*A90*D6*50L*4F		9
DCA-4C-06120	D6*A120*D6*50L*4F		12
DCA-4C-08060	D8*A60*D8*60L*4F	8	6
DCA-4C-08090	D8*A90*D8*60L*4F		9
DCA-4C-08120	D8*A120*D8*60L*4F		12
DCA-4C-10060	D10*A60*D10*60L*4F	10	6
DCA-4C-10090	D10*A90*D10*60L*4F		9
DCA-4C-10120	D10*A120*D10*60L*4F		12

DCA-4C-12060	D12*A60*D12*60L*4F	12	6
DCA-4C-12090	D12*A90*D12*60L*4F		9
DCA-4C-12120	D12*A120*D12*60L*4F		12
DCA-4C-14090	D14*A90*D14*75L*4F	14	9
DCA-4C-16090	D16*A90*D16*75L*4F	16	9