HRC60-2BN

ZANHO Cutting Tools




Feature

- **Deep Reach specialist:** Engineered with a **Long Neck** design specifically for precise **Deep-Pocket 3D Profiling** and intricate contouring where standard length tools fail.
- **Interference-Free Machining:** The reduced neck diameter provides necessary clearance for deep side milling and cavity work, eliminating tool collision risks.
- **Premium TIAISIN Coating:** Advanced TiSiN coating offers exceptional heat resistance and tool life, ensuring edge integrity during high-speed operations.
- **Extensive Spec Selection:** Available in radii R0.5 to R1.5 with a wide variety of effective neck lengths for diverse precision CNC tasks.

Descriptions





Order Number	Specification	D	L2
HRC60-2BN-01006	R0.5*6L*D4*50L*2F	1	6
HRC60-2BN-01008	R0.5*8L*D4*50L*2F	1	8
HRC60-2BN-01010	R0.5*10L*D4*50L*2F	1	10
HRC60-2BN-01012	R0.5*12L*D4*50L*2F	1	12
HRC60-2BN-01015	R0.5*15L*D4*50L*2F	1	15
HRC60-2BN-01020	R0.5*20L*D4*50L*2F	1	20
HRC60-2BN-01506	R0.75*6L*D4*50L*2F	1.5	6
HRC60-2BN-01508	R0.75*8L*D4*50L*2F	1.5	8
HRC60-2BN-01510	R0.75*10L*D4*50L*2F	1.5	10
HRC60-2BN-01512	R0.75*12L*D4*50L*2F	1.5	12
HRC60-2BN-01515	R0.75*15L*D4*50L*2F	1.5	15
HRC60-2BN-01520	R0.75*20L*D4*50L*2F	1.5	20
HRC60-2BN-02006	R1*6L*D4*50L*2F	2	6
HRC60-2BN-02008	R1*8L*D4*50L*2F	2	8
HRC60-2BN-02010	R1*10L*D4*50L*2F	2	10
HRC60-2BN-02012	R1*12L*D4*50L*2F	2	12
HRC60-2BN-02015	R1*15L*D4*50L*2F	2	15

HRC60-2BN-02020	R1*20L*D4*50L*2F	2	20
HRC60-2BN-02025	R1*25L*D4*50L*2F	2	25
HRC60-2BN-02510	R1.25*10L*D4*50L*2F	2.5	10
HRC60-2BN-02512	R1.25*12L*D4*50L*2F	2.5	12
HRC60-2BN-02515	R1.25*15L*D4*50L*2F	2.5	15
HRC60-2BN-02520	R1.25*20L*D4*50L*2F	2.5	20
HRC60-2BN-02525	R1.25*25L*D4*50L*2F	2.5	25
HRC60-2BN-03012	R1.5*12L*D4*50L*2F	3	12
HRC60-2BN-03015	R1.5*15L*D4*50L*2F	3	15
HRC60-2BN-03020	R1.5*20L*D4*50L*2F	3	20
HRC60-2BN-03025	R1.5*25L*D4*50L*2F	3	25