UP100-4S-SQUARE

ZANHO Cutting Tools



Feature

- **Type:** 4-Flute Square End Mill for versatile, general-purpose applications.

- **Coating: AlCrN Coating** for improved wear resistance and tool life.
- **Helix Angle: 35° Helix** optimized for stable cutting and chip removal.
- **Hardness:** Best for materials **up to 45 HRC** (Carbon Steel, Alloy Steel, Cast Iron).
- **Versatility:** Suitable for side milling, slotting, and roughing across various materials.

Descriptions







??? Order Number	?? Specification	?? D	?? L1	?? D1
UP100-4SH-01004	D1*D4*75L*4F	1	4	4
UP100-4SH-01506	D1.5*D4*75L*4F	1.5	6	4
UP100-4SH-02008	D2*D4*75L*4F	2	8	4
UP100-4SH-02510	D2.5*D4*75L*4F	2.5	10	4
UP100-4SH-03012	D3*D3*75L*4F	3	12	3
UP100-4SH-33012	D3*D3*75L*4F	3	12	3
UP100-4SH-03015	D3*D3*100L*4F	3	15	3
UP100-4SH-04016	D4*D4*75L*4F	4	16	4
UP100-4SH-04020	D4*D4*100L*4F	4	20	4
UP100-4SH-55020	D5*D5*75L*4F	5	20	5
UP100-4SH-06024	D6*D6*75L*4F	6	24	6
UP100-4SH-55025	D5*D5*100L*4F	5	25	5
UP100-4SH-06030	D6*D6*100L*4F	6	30	6
UP100-4SH-06040	D6*D6*150L*4F	6	40	6

UP100-4SH-08030	D8*D8*75L*4F	8	30	8	
UP100-4SH-08035	D8*D8*100L*4F	8	35	8	
UP100-4SH-08045	D8*D8*150L*4F	8	45	8	
UP100-4SH-10040	D10*D10*100L*4F	10	40	10	
UP100-4SH-10050	D10*D10*150L*4F	10	50	10	
UP100-4SH-10055	D10*D10*150L*4F	10	55	10	
UP100-4SH-12045	D12*D12*100L*4F	12	45	12	
UP100-4SH-12050	D12*D12*150L*4F	12	50	12	
UP100-4SH-12055	D12*D12*150L*4F	12	55	12	
UP100-4SH-14060	D14*D14*150L*4F	14	60	14	
UP100-4SH-16075	D16*D16*150L*4F	16	75	16	
UP100-4SH-18075	D18*D18*150L*4F	18	75	18	
UP100-4SH-20075	D20*D20*150L*4F	20	75	20	
UP100-4SH-06050	D6*D6*200L*4F	6	50	6	
UP100-4SH-08070	D8*D8*200L*4F	8	70	8	
UP100-4SH-10080	D10*D10*200L*4F	10	80	10	
UP100-4SH-12080	D12*D12*200L*4F	12	80	12	
UP100-4SH-14100	D14*D14*200L*4F	14	100	14	
UP100-4SH-16100	D16*D16*200L*4F	16	100	16	
UP100-4SH-18100	D18*D18*200L*4F	18	100	18	
UP100-4SH-200100	D20*D20*200L*4F	20	100	20	